

**Avis et communications
de la
Direction générale des douanes et droits indirects**

Avis aux importateurs
de
certains produits agricoles et industriels admissibles au bénéfice de suspensions et contingents
tarifaires autonomes

Afin d'assurer un approvisionnement suffisant et continu de certains produits agricoles et industriels qui ne sont pas disponibles ou dont la production est trop faible dans l'Union, les droits autonomes du tarif douanier commun sur ces produits ont été suspendus par les règlements (UE) 1387/2013 et 1388/2013 (JO L354 du 28.12.2013)¹. Ces produits peuvent être importés dans l'Union européenne à des taux de droit de douane réduits ou nuls.

Lorsqu'une suspension tarifaire autonome entre en vigueur, elle reste valable cinq ans renouvelables (ou jusqu'à ce qu'une entreprise européenne s'oppose à sa reconduction). Dans le but de s'assurer de l'utilisation suffisante (au-delà des 15 000 euros de droits de douane économisés par an), la Commission européenne procède à un suivi statistique.

L'attention des importateurs est appelée sur la publication, à la fin de cet avis, du résultat de cette étude pour le cycle de janvier 2021:

- la liste « verte » reprend les suspensions tarifaires reconduites automatiquement compte tenu des montants de droits économisés par les entreprises (sauf en cas d'opposition économique).
- la liste « rouge » reprend les suspensions qui ne dépassent pas le seuil des 15 000 euros d'économie de droits de douane et nécessitent l'envoi d'une demande de prolongation² à la Commission ; à défaut, ces mesures seront supprimées.

Les entreprises utilisatrices d'une mesure figurant sur liste rouge peuvent demander le maintien de cette mesure en adressant un formulaire de prolongation², dûment rempli, au bureau de la politique tarifaire et commerciale de la DGDDI à l'adresse suivante : dg-comint3-suspensions@douane.finances.gouv.fr, **avant le 10 avril 2020**.

L'attention des importateurs est également appelée sur la publication d'un rectificatif³ (JO L53 du 25.02.2020) au règlement (UE) 2019/2197 portant ouverture des suspensions tarifaires autonomes au 1^{er} janvier 2020. La modification porte uniquement sur une amélioration de la mise en page du règlement initialement publié.

1 Modifiés par les règlements (UE) 2019/2197 (JO L335 du 27.12.2019) et 2019/2220 (JO L333 du 27.12.2019)

2 <https://www.douane.gouv.fr/demarche/beneficier-dune-suspension-ou-dun-contingent-tarifaire-autonome> (rubrique Formulaires)

3 https://eur-lex.europa.eu/legal-content/FR/TXT/?uri=uriserv:OJ.L_.2020.053.01.0004.01.FRA&toc=OJ:L:2020:053:TOC

Prolongation suspensions - listes verte-rouge-noire 01.2021

≥15 000 / liste verte

<15 000 / liste rouge

La mesure sera prolongée automatiquement (si elle ne fait l'objet d'aucune opposition).

La mesure n'est pas utilisée au delà des 15 000 euros de droits de douane économisés par an et sera supprimée si aucune demande de prolongation n'est formulée.

Numéro TAXUD de la mesure	Code TARIC	Libellé (en anglais)	Statut	Code TARIC non utilisé (qui pourrait être supprimé) - Commentaire éventuel
1314100/2015	0709591010	Fresh or chilled chanterelles for treatment other than simple repacking for retail sale	≥15 000 / liste verte	
1/1/1999	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: industrial monocarboxylic fatty acids of subheading 3823 19 10, methyl esters of fatty acids of heading 2915 or 2916, fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, stearic acid of subheading 3823 11 00, goods of heading 3401, or fatty acids with high purity of heading 2915	≥15 000 / liste verte	1513193020
3812219/2015	1512191010	Refined safflower oil (CAS RN 8001-23-8) for use in the manufacture of conjugated linoleic acid of heading 3823 or ethyl- or methyl esters of linoleic acid of heading 2916	<15 000 / liste rouge	
635208/2010	2008994894	Mango puree: not from concentrate, of the genus Mangifera, of a Brix value of 14 or more, but not more than 20 used in the manufacture of products of drink industry	<15 000 / liste rouge	
231837/2009	2008994930, 2008999940	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	≥15 000 / liste verte	2008999940
1258034/2015	2008999120	Chinese water chestnuts (Eleocharis dulcis or Eleocharis tuberosa) peeled, washed, blanched, chilled and individually quick-frozen for use in the manufacture of products of food industry for treatment other than simple repacking	≥15 000 / liste verte	
635304/2010	2009419970, 2009419220	Pineapple juice: not from concentrate, of the genus Ananas , of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry	≥15 000 / liste verte	2009419220
1118141/2015	2805120010	Calcium with a purity of 98 % or more by weight, in powder or wire form (CAS RN 7440-70-2)	≥15 000 / liste verte	
111955/2010, 160174/2010, 329223/2009, 566/1/1998	2805302000, 2805303000, 2805304000	Rare-earth metals, scandium and yttrium, of a purity by weight of 95 % or more	≥15 000 / liste verte	
3863286/2015	2811220015	Amorphous silicon dioxide (CAS RN 60676-86-0), in the form of powder of a purity by weight of 99,0 % or more with a median grain size of 0,7 µm or more, but not more than 2,1 µm where 70 % of the particles have a diameter of not more than 3 µm	<15 000 / liste rouge	
589575/2010	2818109120	Sintered corundum with a micro crystalline structure, consisting of aluminium oxide (CAS RN 1344-28-1), magnesium aluminate (CAS RN 12068-51-8) and the rare earth aluminates of yttrium, lanthanum, and neodymium, with a content by weight (calculated as oxides) of: 94 % or more, but less than 98,5 % of aluminium oxide, 2 % (± 1,5 %) of magnesium oxide, 1 % (± 0,6 %) of yttrium oxide, and either 2 % (± 1,2 %) of lanthanum oxide or 2 % (± 1,2 %) of lanthanum oxide and neodymium oxide, with less than 50 % of the total weight having a particle size of more than 10 µm	≥15 000 / liste verte	
3863300/2015	2818300020	Aluminium hydroxide (CAS RN 21645-51-2) in the form of powder, with a purity by weight of 99,5 % or more, with a decomposition point of 263°C or more, with a particle size of 4 µm (± 1 µm), with a Total-Na 2 O-content by weight of not more than 0,06 %	≥15 000 / liste verte	
3845087/2015	2825500030	Copper (II) oxide (CAS RN 1317-38-0), with a particle size of not more than 100 nm	≥15 000 / liste verte	
611507/2010	2826199010	Tungsten hexafluoride (CAS RN 7783-82-6) with a purity by weight of 99,9 % or more	≥15 000 / liste verte	
631004/2010	2833298030	Zirconium sulphate (CAS RN 14644-61-2)	≥15 000 / liste verte	
1111260/2015	2840209010	Zinc borate (CAS RN 12767-90-7)	≥15 000 / liste verte	
1111278/2015	2903392100	Difluoromethane (CAS RN 75-10-5)	≥15 000 / liste verte	
1118201/2015				
1090914/2015	2903740010	2-Chloro-1,1-difluoroethane (CAS RN 338-65-8)	<15 000 / liste rouge	
1090931/2015	2903998015	4-Bromo-2-chloro-1-fluorobenzene (CAS RN 60811-21-4)	≥15 000 / liste verte	
148493/2010, 496/1/1974	2904200010	Nitromethane (CAS RN 75-52-5)	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

1203/1/1979, 146280/2010	2904200020	Nitroethane (CAS RN 79-24-3)	<15 000 / liste rouge
1/2/1967, 146241/2010	2904200030	1-Nitropropane (CAS RN 108-03-2)	≥15 000 / liste verte
1090965/2015	2904990025	Difluoromethanesulphonyl chloride (CAS RN 1512-30-7)	≥15 000 / liste verte
1090997/2015	2904990035	1-Fluoro-4-nitrobenzene (CAS RN 350-46-9)	≥15 000 / liste verte
148610/2010	2905399510	Propane-1,3-diol (CAS RN 504-63-2)	≥15 000 / liste verte
1254118/2015	2905490010	Ethylidynetrimethanol (CAS RN 77-85-0)	<15 000 / liste rouge
3655112/2015	2906290040	2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0)	<15 000 / liste rouge
3694885/2015	2908190040	3,4,5-Trifluorophenol (CAS RN 99627-05-1)	≥15 000 / liste verte
3939346/2015	2908190050	4-Fluorophenol (CAS RN 371-41-5)	≥15 000 / liste verte
1163407/2015	2909303830	1,1'-(1-Methylethylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)]-benzene (CAS RN 97416-84-7)	≥15 000 / liste verte
598074/2010	2909309030	3,4,5-Trimethoxytoluene (CAS RN 6443-69-2)	≥15 000 / liste verte
1091040/2015	2909309040	1-Chloro-2,5-dimethoxybenzene (CAS RN 2100-42-7)	≥15 000 / liste verte
3694948/2015	2909309050	1-Ethoxy-2,3-difluorobenzene (CAS RN 121219-07-6)	≥15 000 / liste verte
3694994/2015	2909309060	1-Butoxy-2,3-difluorobenzene (CAS RN 136239-66-2)	≥15 000 / liste verte
3944796/2015	2909498010	1-Propoxypropan-2-ol (CAS RN 1569-01-3)	≥15 000 / liste verte
167212/2010	2909500020	Ubiquinol (CAS RN 992-78-9)	≥15 000 / liste verte
1158583/2015	2910900050	2,3-Epoxypropyl phenyl ether (CAS RN 122-60-1)	≥15 000 / liste verte
3815344/2015	2911000010	Ethoxy-2,2-difluoroethanol (CAS RN 148992-43-2)	<15 000 / liste rouge
584068/2010, 598105/2010	2912490030	Salicylaldehyde (CAS RN 90-02-8)	≥15 000 / liste verte
1143368/2015	2912490040	3-Hydroxy-p-anisaldehyde (CAS RN 621-59-0)	≥15 000 / liste verte
155063/2010	2914290030	(R)- p -Mentha-1(6),8-dien-2-one (CAS RN 6485-40-1)	≥15 000 / liste verte
155079/2010	2914500020	3'-Hydroxyacetophenone (CAS RN 121-71-1)	≥15 000 / liste verte
899651/2015	2914500065	3-Methoxyacetophenone (CAS RN 586-37-8)	<15 000 / liste rouge
3655587/2015	2914500075	7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)	<15 000 / liste rouge
899844/2015	2914790015	1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)	<15 000 / liste rouge
900224/2015	2914790025	1-(7-Bromo-9,9-difluoro-9H-fluoren-2-yl)-2-chloroethanone (CAS RN 1378387-81-5)	<15 000 / liste rouge
124160/2010	2914790060	4'- tert -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)	≥15 000 / liste verte
598134/2010	2915390060	Dodec-8-enyl acetate (CAS RN 28079-04-1)	≥15 000 / liste verte
598205/2010	2915390065	Dodeca-7,9-dienyl acetate (CAS RN 54364-62-4)	≥15 000 / liste verte
598173/2010	2915390070	Dodec-9-enyl acetate (CAS RN 16974-11-1)	≥15 000 / liste verte
1613283/2018	2915903010	Methyl laurate (CAS RN 111-82-0)	≥15 000 / liste verte
114857/2010	2915907060	Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)	≥15 000 / liste verte
3939281/2015	2915907065	2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)	≥15 000 / liste verte
1105/2009, 3155/2/2000	2916130030	Zinc monomethacrylate powder (CAS RN 63451-47-8) whether or not containing not more than 17 % by weight of manufacturing impurities	≥15 000 / liste verte
155104/2010	2916200060	3-Cyclohexylpropionic acid (CAS RN 701-97-3)	≥15 000 / liste verte
155106/2010	2916399030	2,4,6-Trimethylbenzoyl chloride (CAS RN 938-18-1)	≥15 000 / liste verte
3695047/2015	2916399041	4-Bromo-2,6-difluorobenzoyl chloride (CAS RN 497181-19-8)	≥15 000 / liste verte
3654788/2015	2916399051	3-Chloro-2-fluorobenzoic acid (CAS RN 161957-55-7)	<15 000 / liste rouge
1118166/2015	2916399053	5-Iodo-2-methylbenzoic acid (CAS RN 54811-38-0)	≥15 000 / liste verte
3703041/2015	2916399061	2-Phenylbutyric Acid (CAS RN 90-27-7)	<15 000 / liste rouge
166414/2010	2917198050	Tetradecanedioic acid (CAS RN 821-38-5)	≥15 000 / liste verte
128605/2010	2917399520	Dibutyl-1,4-benzenedicarboxylate (CAS RN 1962-75-0)	≥15 000 / liste verte
3695165/2015	2917399525	Naphthalene-1,8-dicarboxylic anhydride (CAS RN 81-84-5)	≥15 000 / liste verte
159261/2010, 159377/2010, 730/3/1997	2917399530	Benzene-1,2,4,5-tetracarboxylic dianhydride (CAS RN 89-32-7)	≥15 000 / liste verte
3695505/2015	2917399535	1-Methyl-2-nitroterephthalate (CAS RN 35092-89-8)	≥15 000 / liste verte
3815566/2015	2918999013	3-Methoxy-2-methylbenzoyl chloride (CAS RN 24487-91-0)	≥15 000 / liste verte
3903451/2015	2918999018	Ethyl 2-hydroxy-2-(4-phenoxyphenyl)propanoate (CAS RN 132584-17-9)	≥15 000 / liste verte
1288168/2015	2918999085	Trinexapac-Ethyl (ISO) (CAS RN 95266-40-3) with a purity by weight of 96 % or more	≥15 000 / liste verte
582378/2010	2920290020	Tris(methylphenyl)phosphite (CAS RN 25586-42-9)	≥15 000 / liste verte

Prolongation suspensions - listes verte-rouge-noire 01.2021

598272/2010	2920290030	2,2'-[[3,3',5,5'-Tetrakis(1,1-dimethylethyl)[1,1'-biphenyl]-2,2'-diyl]bis(oxy)]bis[biphenyl-1,3,2-dioxaphosphine], (CAS RN 138776-88-2)	<15 000 / liste rouge
588556/2010	2920290040	Bis(2,4-dicumylphenyl)pentaerythritol diphosphite (CAS RN 154862-43-8)	≥15 000 / liste verte
900370/2015	2920907080	Bis(pinacolato)diboron (CAS RN 73183-34-3)	≥15 000 / liste verte
166580/2010	2921290040	Decamethylenediamine (CAS RN 646-25-3)	≥15 000 / liste verte
169088/2010	2921309930	1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)	≥15 000 / liste verte
1091125/2015	2921420033	2-Fluoroaniline (CAS RN 348-54-9)	<15 000 / liste rouge
598330/2010	2921430050	4-Aminobenzotrifluoride (CAS RN 455-14-1)	<15 000 / liste rouge
598299/2010	2921430060	3-Aminobenzotrifluoride (CAS RN 98-16-8)	≥15 000 / liste verte
3851371/2015	2921490060	2,6-Diisopropylaniline (CAS RN 24544-04-5)	≥15 000 / liste verte
598367/2010	2921490080	4-Heptafluoroisopropyl-2-methylaniline (CAS RN 238098-26-5)	<15 000 / liste rouge
900158/2015	2921511970	4-Bromo- 1,2-diaminobenzene (CAS RN 1575-37-7)	<15 000 / liste rouge
1091162/2015	2921599070	Tris(4-aminophenyl)methane (CAS RN 548-61-8)	<15 000 / liste rouge
3962047/2015	2922190035	2-[2-(Dimethylamino)ethoxy] ethanol (CAS RN 1704-62-7)	≥15 000 / liste verte
1092382/2015	2922290030	1,2-Bis(2-aminophenoxy)ethane (CAS RN 52411-34-4)	≥15 000 / liste verte
1162051/2015	2922290040	4-Hydroxy-6-[(3-sulphophenyl)amino]naphthalene-2-sulphonic acid (CAS RN 25251-42-7)	<15 000 / liste rouge
1111511/2015	2922290063	Aclonifen (ISO) (CAS RN 74070-46-5) with a purity by weight of 97 % or more	≥15 000 / liste verte
114037/2010	2922290075	4-(2-Aminoethyl)phenol (CAS RN 51-67-2)	≥15 000 / liste verte
167011/2010	2922390020	2-Amino-5-chlorobenzophenone (CAS RN 719-59-5)	≥15 000 / liste verte
3863316/2015	2922390025	3-(Dimethylamino)-1-(1-naphthalenyl)-1-propanone)hydrochloride (CAS RN 5409-58-5)	<15 000 / liste rouge
3655546/2015	2922390035	5-Chloro-2-(methylamino)benzophenone (CAS RN 1022-13-5)	≥15 000 / liste verte
3962007/2015	2922498530	Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN 4316-73-8)	≥15 000 / liste verte
582333/2010, 598556/2010	2922498545	Glycine (CAS RN 56-40-6)	≥15 000 / liste verte
1163281/2015	2922498565	Diethyl aminomalonate hydrochloride (CAS RN 13433-00-6)	≥15 000 / liste verte
612172/2010	2923900075	Tetraethylammonium hydroxide, in the form of an aqueous solution containing: 35 % (± 0,5 %) by weight of tetraethylammonium hydroxide, not more than 1 000 mg/kg of chloride, not more than 2 mg/kg of iron and not more than 10 mg/kg of potassium	≥15 000 / liste verte
900298/2015	2924190020	(R)-(-)-3-(carbamoylmethyl)-5-methylhexanoic acid (CAS RN 181289-33-8)	<15 000 / liste rouge
620578/2010	2924297040	N,N'-1,4-Phenylenebis[3-oxobutyramide], (CAS RN 24731-73-5)	≥15 000 / liste verte
598581/2010	2924297045	Propoxur (ISO) (CAS RN 114-26-1)	≥15 000 / liste verte
621060/2010	2924297055	N,N'-(2,5-Dimethyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 24304-50-5)	≥15 000 / liste verte
620617/2010	2924297060	N,N'-(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide], (CAS RN 41131-65-1)	<15 000 / liste rouge
3847909/2015	2924297061	(S)-1-Phenylethanamine (S)-2-(((1 R , 2 R)-2-allylcyclopropoxy)carbonylamino)-3,3-dimethylbutanoate (CUS 0143288-8)	<15 000 / liste rouge
3672549/2015	2924297062	2-Chlorobenzamide (CAS RN 609-66-5)	≥15 000 / liste verte
3672532/2015	2924297064	N-(3',4'-dichloro-5-fluoro[1,1'-biphenyl]-2-yl)acetamide (CAS RN 877179-03-8)	≥15 000 / liste verte
1111563/2015	2925290030	Guanidine sulphamate (CAS RN 50979-18-5)	<15 000 / liste rouge
3815319/2015	2926907014	Cyanoacetic acid (CAS RN 372-09-8)	<15 000 / liste rouge
3939249/2015 , 3956983/2015	2926907017	Cypermethrin (ISO) with its stereoisomers (CAS RN 52315-07-8) with a purity by weight of 90 % or more	≥15 000 / liste verte
3887037/2015	2928009023	Metobromuron (ISO) (CAS RN 3060-89-7) with a purity by weight of 98 % or more	≥15 000 / liste verte
155108/2010	2928009025	Acetaldehyde oxime (CAS RN 107-29-9) in an aqueous solution	≥15 000 / liste verte
1111522/2015	2928009050	Aqueous solution of 2,2'-(hydroxyimino) bisethanesulphonic acid disodium salt (CAS RN 133986-51-3) with a content by weight of more than 33,5 % but not more than 36,5 %	≥15 000 / liste verte
579140/2010	2930909810	2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)	<15 000 / liste rouge
3672571/2015	2930909819	N-(2-Methylsulfinyl-1,1-dimethyl-ethyl)-N'-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalamide (CAS RN 371771-07-2)	<15 000 / liste rouge
3672588/2015	2930909822	Tembotrione (ISO) (CAS RN 335104-84-2) with a purity by weight of 94,5 % or more	≥15 000 / liste verte

Prolongation suspensions - listes verte-rouge-noire 01.2021

3887110/2015	2930909826	Folpet (ISO)(CAS RN 133-07-3) with a purity by weight of 97,5 % or more	≥15 000 / liste verte	
1091197/2015	2930909853	Bis(4-chlorophenyl) sulphone (CAS RN 80-07-9)	≥15 000 / liste verte	
589716/2010	2930909855	Thiourea (CAS RN 62-56-6)	≥15 000 / liste verte	
1091258/2015	2930909857	Methyl (methylthio)acetate (CAS RN 16630-66-3)	<15 000 / liste rouge	
1053947/2015	2931399057	Trimethyl phosphonoacetate (CAS RN 5927-18-4)	<15 000 / liste rouge	
168771/2010	2931900005	Diethylmethoxyborane (CAS RN 7397-46-8), whether or not in the form of a solution in tetrahydrofuran according to note 1e to Chapter 29 of the CN	<15 000 / liste rouge	
3939413/2015	2931900060	4-Chloro-2-fluoro-3-methoxyphenylboronic acid (CAS RN 944129-07-1)	≥15 000 / liste verte	
3939533/2015	2931900063	Chloroethenyldimethylsilane (CAS RN 1719-58-0)	≥15 000 / liste verte	
3962068/2015	2931900065	Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)	≥15 000 / liste verte	
3944874/2015	2931900067	Dimethyltin dioleate (CAS RN 3865-34-7)	<15 000 / liste rouge	
3695122/2015	2931900070	(4-Propylphenyl)boronic acid (CAS RN 134150-01-9)	<15 000 / liste rouge	
3815294/2015	2932190020	Tetrahydrofuran-borane (CAS RN 14044-65-6)	<15 000 / liste rouge	
1091288/2015	2932209065	Sodium 4-(methoxycarbonyl)-5-oxo-2,5-dihydrofuran-3-olate (CAS RN 1134960-41-0)	≥15 000 / liste verte	
168692/2010	2932990050	7-Methyl-3,4-dihydro-2 H -1,5-benzodioxepin-3-one (CAS RN 28940-11-6)	≥15 000 / liste verte	
3672646/2015	2932990065	4,4-Dimethyl-3,5,8-trioxabicyclo[5,1,0]octane (CAS RN 57280-22-5)	≥15 000 / liste verte	
1093119/2015	2933199035	1,3-Dimethyl-5-fluoro-1H-pyrazole-4-carbonyl fluoride (CAS RN 191614-02-5)	<15 000 / liste rouge	
3848320/2015	2933210055	1-Aminohydantoin hydrochloride (CAS RN 2827-56-7)	≥15 000 / liste verte	
589735/2010	2933210080	5,5-Dimethylhydantoin (CAS RN 77-71-4)	≥15 000 / liste verte	
3655368/2015	2933299065	(S)-tert-Butyl 2-(5-bromo-1H-imidazol-2-yl)pyrrolidine-1-carboxylate (CAS RN 1007882-59-8)	<15 000 / liste rouge	
3655047/2015	2933399913	Methyl (1S,3S,4R)-2-[(1R)-1-phenylethyl]-2-azabicyclo[2.2.1]hept-5-ene-3-carboxylate (CAS RN 130194-96-6)	<15 000 / liste rouge	
3815462/2015	2933399914	N,4-Dimethyl-1-(phenylmethyl)- 3-piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5)	<15 000 / liste rouge	
3815374/2015	2933399916	Methyl (2S,5R)-5-[(benzyloxy)amino]piperidine-2-carboxylate dihydrochloride (CAS RN 1501976-34-6)	<15 000 / liste rouge	
3959647/2015	2933399917	3,5-Dimethylpyridine (CAS RN 591-22-0)	<15 000 / liste rouge	
3903526/2015	2933399919	Methyl nicotinate (INN) (CAS RN 93-60-7)	<15 000 / liste rouge	
239432/2009	2933399920	Copper pyrrithione powder (CAS RN 14915-37-8)	≥15 000 / liste verte	
3893169/2015	2933399923	2-Chloro-3-cyanopyridine (CAS RN 6602-54-6)	<15 000 / liste rouge	
3815528/2015	2933399926	2-[4-(Hydrazinylmethyl)phenyl]-pyridine dihydrochloride (CAS RN 1802485-62-6)	<15 000 / liste rouge	
598630/2010	2933399985	2-Chloro-5-chloromethylpyridine (CAS RN 70258-18-3)	≥15 000 / liste verte	
3672952/2015	2933491050	1-Cyclopropyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylic acid (CAS RN 94695-52-0)	≥15 000 / liste verte	
157647/2010	2933499030	Quinoline (CAS RN 91-22-5)	≥15 000 / liste verte	
157788/2010	2933499040	Isoquinoline (CAS RN 119-65-3)	<15 000 / liste rouge	
3013950/2013	2933499080	Ethyl 6,7,8-trifluoro-1-[formyl(methyl)amino]-4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 100276-65-1)	<15 000 / liste rouge	
3893201/2015	2933599518	1-Methyl-3-phenylpiperazine (CAS RN 5271-27-2)	<15 000 / liste rouge	
3655621/2015	2933599521	N-(2-oxo-1,2-dihydropyrimidin-4-yl)benzamide (CAS RN 26661-13-2)	≥15 000 / liste verte	
1142619/2015	2933599547	6-Methyl-2-oxoperhydropyrimidin-4-ylurea (CAS RN 1129-42-6) with a purity of 94 % or more	≥15 000 / liste verte	
1052963/2015	2933599553	5-Fluoro-2-methoxypyrimidin-4(3H)-one (CAS RN 1480-96-2)	<15 000 / liste rouge	
1052913/2015	2933599557	5,7-Dimethoxy(1,2,4)triazolo(1,5-a)pyrimidin-2-amine (CAS RN 13223-43-3)	≥15 000 / liste verte	
3673032/2015	2933698013	Metribuzin (ISO) (CAS RN 21087-64-9) with a purity by weight of 93 % or more	≥15 000 / liste verte	
1091327/2015	2933698015	2-Chloro-4,6-dimethoxy-1,3,5-triazine (CAS RN 3140-73-6)	≥15 000 / liste verte	
3959671/2015	2933698017	Benzoguanamine (CAS RN 91-76-9)	≥15 000 / liste verte	
605418/2010	2933698055	Terbutryn (ISO) (CAS RN 886-50-0)	≥15 000 / liste verte	
113447/2010	2933698060	Cyanuric acid (CAS RN 108-80-5)	≥15 000 / liste verte	
585000/2010	2933790070	(S)- N -[(Diethylamino)methyl]-alpha-ethyl-2-oxo-1-pyrrolidineacetamide L-(+)-tartrate, (CAS RN 754186-36-2)	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3887075/2015	2933998016	Pyridate (ISO)(CAS RN 55512-33-9) with a purity by weight of 90 % or more	≥15 000 / liste verte	
3956929/2015	2933998017	Carfentrazone-ethyl (ISO) (CAS RN 128639-02-1) with a purity by weight of 93 % or more	<15 000 / liste rouge	
3848400/2015	2933998021	1-(Bis(dimethylamino)methylene)-1H-[1,2,3]triazolo[4,5-b]pyridinium 3-oxide hexafluorophosphate(V) (CAS RN 148893-10-1)	≥15 000 / liste verte	
3847962/2015	2933998026	(2 S ,3 S ,4 R)-Methyl 4-(3-(1,1-difluorobut-3-enyl)-7-methoxyquinoxalin-2-yloxy)-3-ethylpyrrolidine-2-carboxylate 4-methylbenzenesulfonate (CUS 0143289-9)	<15 000 / liste rouge	
3655493/2015	2933998029	3-[3-(4-Fluorophenyl)-1-(1-methylethyl)-1H-indol-2-yl]-(E)-2-propenal (CAS RN 93957-50-7)	<15 000 / liste rouge	
3673063/2015	2933998031	Triadimenol (ISO) (CAS RN 55219-65-3) with a purity by weight of 97 % or more	≥15 000 / liste verte	
1118271/2015	2933998052	N-Boc-trans-4-Hydroxy-L-proline methyl ester (CAS RN 74844-91-0)	<15 000 / liste rouge	
1001695/2015	2933998054	3-(Salicyloylamino)-1,2,4-triazole (CAS RN 36411-52-6)	≥15 000 / liste verte	
114170/2010	2934208060	Benzo[thiazol-2-yl-(Z)-2-trityloxyimino-2-(2-aminothiazole-4-yl)-thioacetate (CAS RN 143183-03-3)	<15 000 / liste rouge	
167214/2010	2934208070	N , N -Bis(1,3-benzothiazol-2-ylsulphonyl)-2-methylpropan-2-amine (CAS RN 3741-80-8)	≥15 000 / liste verte	
130914/2010	2934999025	2,4-Diethyl-9 H -thioxanthen-9-one (CAS RN 82799-44-8)	≥15 000 / liste verte	
1288270/2015	2934999031	Uridine 5'-diphospho-N-acetylgalactosamine disodium salt (CAS RN 91183-98-1)	<15 000 / liste rouge	
1288294/2015	2934999032	Uridine 5'-diphosphoglucuronic acid trisodium salt (CAS RN 63700-19-6)	<15 000 / liste rouge	
1254173/2015	2934999034	7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(1-ethyl-2-methyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one (CAS RN 69898-40-4)	<15 000 / liste rouge	
3674985/2015	2934999036	Oxadiazon (ISO) (CAS RN 19666-30-9) with a purity by weight of 95 % or more	≥15 000 / liste verte	
3851419/2015	2934999039	4-(Oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4)	≥15 000 / liste verte	
3851462/2015	2934999041	11-[4-(2-Chloro-ethyl)-1-piperazinyl]dibenzo(b,f)(1,4)thiazepine (CAS RN 352232-17-8)	≥15 000 / liste verte	
3893242/2015	2934999044	Propiconazole (ISO) (CAS RN 60207-90-1) with a purity by weight of 92 % or more	≥15 000 / liste verte	
129493/2010	2934999050	10-[1,1'-Biphenyl]-4-yl-2-(1-methylethyl)-9-oxo-9 H -thioxanthenium hexafluorophosphate, (CAS RN 591773-92-1)	<15 000 / liste rouge	
605480/2010	2934999086	Dithianon (ISO) (CAS RN 3347-22-6)	≥15 000 / liste verte	
611558/2010, 635487/2010	2934999087	2,2'-(1,4-Phenylene)bis(4H-3,1-benzoxazin-4-one) (CAS RN 18600-59-4)	≥15 000 / liste verte	
582248/2010	2935909042	Penoxsulam (ISO) (CAS RN 219714-96-2)	≥15 000 / liste verte	
3848277/2015	2935909052	(1 R ,2 R)-1-Amino-2-(difluoromethyl)-N-(1-methylcyclopropylsulphonyl) cyclopropanecarboxamide hydrochloride (CUS 0143290-2)	<15 000 / liste rouge	
3675031/2015	2935909054	Propoxycarbazone-sodium (ISO) (CAS RN 181274-15-7) with a purity by weight of 95 % or more	≥15 000 / liste verte	
3702997/2015	2935909056	N-(p-Toluenesulphonyl)-N'-(3-(p-toluenesulphonyloxy)phenyl)urea (CAS RN 232938-43-1)	≥15 000 / liste verte	
3695559/2015, 3903581/2015	2935909057	N-{2-[(phenylcarbonyl)amino]phenyl}benzenesulphonamide (CAS RN 215917-77-4)	≥15 000 / liste verte	
3815417/2015	2935909058	1-Methylcyclopropane-1-sulphonamide (CAS RN 669008-26-8)	<15 000 / liste rouge	
1118246/2015	2935909059	Flazasulfuron (ISO) (CAS RN 104040-78-0) with a purity of 94 % by weight or more	≥15 000 / liste verte	
129325/2010	2938903010	Ammonium glycyrrhizate (CAS RN 53956-04-0)	≥15 000 / liste verte	
1001767/2015	3201909040, 3202900010	Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)	≥15 000 / liste verte	
631007/2010	3204110020	Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97 % or more by weight	≥15 000 / liste verte	
605497/2010	3204110045	Preparation of dispersion dyes, containing: C.I. Disperse Orange 61 or Disperse Orange 288, C.I. Disperse Blue 291:1, C.I. Disperse Violet 93:1, whether or not containing C.I. Disperse Red 54	≥15 000 / liste verte	
1162091/2015	3204120070	Colourant C.I. Acid blue 25 (CAS RN 6408-78-2) and preparations based thereon with a colourant C.I. Acid blue 25 content of 80 % or more by weight	≥15 000 / liste verte	
3939613/2015	3204170016	Colourant C.I. Pigment Red 49:2 (CAS RN 1103-39-5) and preparations based thereon with a colourant C.I. Pigment Red 49:2 content of 60 % or more by weight	<15 000 / liste rouge	

Prolongation suspensions - listes verte-rouge-noire 01.2021

1001892/2015	3204170033	Colourant C.I. Pigment Blue 15:1 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:1 content of 35 % or more by weight	≥15 000 / liste verte	
635959/2010	3204190071	Colourant C.I. Solvent Brown 53 (CAS RN 64696-98-6) and preparations based thereon with a colourant C.I. Solvent Brown 53 content of 95 % or more by weight	<15 000 / liste rouge	
635551/2010	3204190073	Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight	≥15 000 / liste verte	
1254141/2015	3208101010	Thermoplastic polyester copolymer resin with a solid content of 30 % or more but not more than 50 %, in organic solvents	<15 000 / liste rouge	
1254133/2015	3208901955	Preparation of 5 % or more but not more than 20 % by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent	≥15 000 / liste verte	
577797/2010	3215907040	Dry ink powder with a base of hybrid resin (made from polystyrene acrylic resin and polyester resin) mixed with: wax; a vinyl-based polymer and a colouring agent for use in the manufacture of toner bottles for photocopiers, fax machines, printers and multifunction devices	≥15 000 / liste verte	
168821/2010	3402119010	Sodium lauroyl methyl isethionate	≥15 000 / liste verte	
135696/2010	3402901030	Surface-active preparation, consisting of a mixture of sodium docusate and ethoxylated 2,4,7,9-tetramethyldec-5-yne-4,7-diol (CAS RN 577-11-7 and 9014-85-1)	<15 000 / liste rouge	
135420/2010	3402901050	Surface-active preparation, consisting of a mixture of polysiloxane and poly(ethylene glycol)	<15 000 / liste rouge	
1209/2009	3402901060	Surface-active preparation, containing 2-ethylhexyloxymethyl oxirane	<15 000 / liste rouge	
1254126/2015	3506919050	Preparation containing by weight: 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers and 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers dissolved in: Methyl ethyl ketone (CAS RN 78-93-3) Heptane (CAS RN 142-82-5), and Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8)	≥15 000 / liste verte	
3695262/2015	3507909020	Creatine amidinohydrolase (CAS RN 37340-58-2)	<15 000 / liste rouge	
3655426/2015	3802100010	Mixture of activated carbon and polyethylene, in form of powder	≥15 000 / liste verte	
3887161/2015	3808923010	Mancozeb (ISO) (CAS RN 8018-01-7) imported in immediate packings of a content of 500 kg or more	≥15 000 / liste verte	
588589/2010	3808939020	Preparation consisting of benzyl(purin-6-yl)amine in a glycol solution, containing by weight: 1,88 % or more but not more than 2,00 % of benzyl(purin-6-yl)amine of a kind used in plant growth regulators	≥15 000 / liste verte	
577757/2010	3808939030	Aqueous solution containing by weight: 1,8 % of sodium par-nitrophenolate, 1,2 % of sodium ortho-nitrophenolate, 0,6 % of sodium 5-nitroguaiacolate for use in the manufacture of a plant growth regulator	≥15 000 / liste verte Cependant, cette mesure pourrait être supprimée car les importations proviennent exclusivement du Japon et celles-ci sont déjà exonérées du paiement des droits de douane.	Aucune suspension ne peut être maintenue lorsqu'elle est « en conflit avec une autre politique de l'Union (par exemple, [...] d'autres régimes préférentiels, des accords de libre-échange [...] » (point 3.2 des lignes directrices générales de la Communication du 13 décembre 2011). L'accord de partenariat économique signé entre l'UE et le Japon, entré en vigueur le 1er février 2019 (JO L330 du 27.12.2018), permet d'importer du Japon plusieurs types de marchandises, dont celles relevant du classement 3808 93 90 30, en exonération totale des droits de douane.
582411/2010	3808939040	Mixed white powder containing by weight: 3 % or more but not more than 3,6 % of 1-methylcyclopropene with a purity more than 96 % and containing less than 0,05 % of each impurity of 1-chloro-2-methylpropene and 3-chloro-2-methylpropene for use in the manufacture of a growth regulator of post-harvest fruits, vegetables and ornamentals with a specific generator	<15 000 / liste rouge	
630977/2010	3808939050	Preparation in the form of powder, containing by weight: 55 % or more of Gibberellin A4, 1 % or more but not more than 35 % of Gibberellin A7, 90 % or more of Gibberellin A4 and Gibberellin A7 combined not more than 10 % of a combination of water and other naturally occurring Gibberellins of a kind used in plant growth regulators	≥15 000 / liste verte	
166041/2010	3808999010	Oxamyl (ISO) (CAS RN 23135-22-0) in a solution of cyclohexanone and water	<15 000 / liste rouge	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3903664/2015	3811210012	Dispersing agent containing : esters of polyisobutenyl succinic acid and pentaerythritol (CAS RN 103650-95-9), 35 % or more but not more than 55 % by weight of mineral oils and with a chlorine content of not more than 0,05 % by weight, used in the manufacture of blends of additives for lubricating oils	≥15 000 / liste verte	
3903735/2015	3811210014	Dispersing agent : containing polyisobutene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 147880-09-9), containing 35 % or more but not more than 55 % by weight of mineral oils, with a chlorine content by weight of not more than 0,05 %, having a total base number of less than 15, used in the manufacture of blends of additives for lubricating oils	≥15 000 / liste verte	
3903764/2015	3811210016	Detergent containing : Calcium salt of beta-aminocarbonyl alkylphenol (reaction product Mannich base of alkylphenol) 40 % or more but not more than 60 % by weight of mineral oils and having a total base number more than 120 used in the manufacture of blends of additives for lubricating oils	≥15 000 / liste verte	
3903694/2015	3811210018	Detergent containing : long chain alkyltoluene calcium sulphonates, more than 30 % but not more than 50 % by weight of mineral oils, and having a total base number of more than 310 but not more than 340, used in the manufacture of blends of additives for lubricating oils	≥15 000 / liste verte	
1138422/2015	3811210075	Additives containing: Calcium (C10-C14) dialkylbenzenesulfonates, more than 40 %, but not more than 60 % by weight of mineral oils, with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils	<15 000 / liste rouge	
1137815/2015	3811210077	Antifoam additives consisting of: a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and more than 50 % but not more than 80 % by weight of mineral oils for use in the manufacture of additive blends for lubricating oils	<15 000 / liste rouge	
1137567/2015	3811210080	Additives containing : polyisobutylene aromatic polyamine succinimide, more than 40 % but not more than 60 % by weight of mineral oils, with a nitrogen content of more than 0,6 % but not more than 0,9 % by weight, for use in the manufacture of additive blends for lubricating oils	<15 000 / liste rouge	
1137762/2015	3811290065	Additives consisting of a sulphurised mixture of vegetable oil, long chain α-olefins and tall oil fatty acids, with a sulphur content of 8 % or more but not more than 12 % by weight, for use in the manufacture of blends of additives for lubricating oils	<15 000 / liste rouge	
612157/2010	3815909030	Catalyst, consisting of a suspension in mineral oil of: tetrahydrofuran complexes of magnesium chloride and titanium(III) chloride; and silicon dioxide containing 6,6 % (± 0,6 %) by weight of magnesium, and containing 2,3 % (± 0,2 %) by weight of titanium	≥15 000 / liste verte	
279/4/1996	3815909080	Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol	≥15 000 / liste verte	
3812101/2015	3824999223	Butylphosphato complexes of titanium(IV) (CAS RN 109037-78-7), dissolved in ethanol and propan-2-ol	≥15 000 / liste verte	
3675407/2015	3824999228	Aqueous solution containing by weight 10 % or more but not more than 42 % of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5), 10 % or more but not more than 25 % of sulphuric acid (CAS RN 7664-93-9) and 0,5 % or more but not more than 2,9 % of methanol (CAS RN 67-56-1)	<15 000 / liste rouge	
167394/2010	3824999229	Preparation containing by weight: 85 % or more but not more than 99 % of polyethylene glycol ether of butyl 2-cyano 3-(4-hydroxy-3-methoxyphenyl) acrylate, and 1 % or more but not more than 15 % of polyoxyethylene (20) sorbitan trioleate	≥15 000 / liste verte	
3675457/2015	3824999240	Solution of 2-chloro-5-(chloromethyl)-pyridine (CAS RN 70258-18-3) in organic diluent	≥15 000 / liste verte	
168771/2010_2	3824999246	Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran	<15 000 / liste rouge	
583850/2010	3824999260	N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37 %	<15 000 / liste rouge	
605519/2010	3824999261	3',4',5'-Trifluorobiphenyl-2-amine, in the form of a solution in toluene containing by weight 80 % or more but not more than 90 % of 3',4',5'-trifluorobiphenyl-2-amine	≥15 000 / liste verte	
1102100/2015	3824999268	Preparation containing by weight: 20 % (± 1 %) ((3-(sec-butyl)-4-(decyloxy)phenyl)methanetriyl) Tribenzene (CAS RN 1404190-37-9), Dissolved in: 10 % (± 5 %) 2-sec-Butylphenol (CAS RN 89-72-5) 64 % (± 7 %) Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) and 6 % (± 1.0 %) Naphthalene (CAS RN 91-20-3)	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

1102055/2015	3824999269	Preparation containing by weight: 80 % or more but not more than 92 % of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) 7 % or more but not more than 20 % oligomers of Bisphenol-A bis(diphenyl phosphate) and not more than 1 % triphenyl phosphate (CAS RN 115-86-6)	≥15 000 / liste verte	
444/2/1995	3824999288	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated	≥15 000 / liste verte	
1093245/2015	3824999646	Manganese zinc ferrite granulate, containing by weight: 52 % or more but not more than 76 % of iron(III)oxide, 13 % or more but not more than 42 % of manganese oxide, and 2 % or more but not more than 22 % of zinc oxide	≥15 000 / liste verte	
1286934/2015	3824999648	Zirconium oxide (ZrO ₂), calcium oxide stabilised (CAS RN 68937-53-1) with a zirconium oxide content by weight of 92 % or more but not more than 97 %	≥15 000 / liste verte	
3981218/2015	3901400020	Octene linear low-density polyethylene (LLDPE) in the form of pellets of a kind used in the co-extrusion processing of films for flexible food packaging with: 10 % or more but not more than 20 % by weight of octene, a melt flow ratio of 9,0 or more, but not more than 10,0 (using ASTM D1238 10.0/2.16), a melt index (190°C/2.16 kg) of 0,4 g / 10 min or more but not more than 0,6 g / 10 min, a density of 0,909 g/cm ³ or more, but not more than 0,913 g/cm ³ using ASTM D4703, a gel area per 24,6 cm ³ of not more than 20 mm ² ; and an anti-oxidant level of not more than 240 ppm	<15 000 / liste rouge	
3891545/2015	3901400030	Octene linear low-density polyethylene (LLDPE) produced by a Ziegler-Natta catalyst method in the form of pellets with: more than 10 % but not more than 20 % by weight of copolymer, a melt flow rate (MFR 190°C/2,16 kg) of 0,7 g / 10 min or more but not more than 0,9 g / 10 min, and a density (ASTM D4703) of 0,911 g/cm ³ or more, but not more than 0,913 g/cm ³ for use in the co-extrusion processing of films for flexible food packaging	≥15 000 / liste verte	
631105/2010	3901400040	Block copolymer of ethylene with octene in the form of pellets: with a specific gravity of 0,862 or more, but not more than 0,865, able to stretch to at least 200 % its original length, with a hysteresis of 50 % (±10 %), with permanent deformation of not more than 20 %, for use in the manufacture of napkin liners for babies	<15 000 / liste rouge	
3939718/2015	3901908053	Copolymer of ethylene and acrylic acid (CAS RN 9010-77-9) with an acrylic acid content of 18,5 % or more but not more than 49,5 % by weight (ASTM D4094), and a melt flow rate of 14g/10 min (MFR 125 °C/2.16 kg, ASTM D1238) or more	≥15 000 / liste verte	
1254148/2015	3901908055	Zinc or sodium salt of an ethylene and acrylic acid copolymer, with: an acrylic acid content of 6 % or more but not more than 50 % by weight, and a melt flow rate of 1g/10 min or more at 190 °C/2.16 kg (measured using ASTM D1238)	≥15 000 / liste verte	
588603/2010	3901908067	Copolymer made exclusively from ethylene and methacrylic acid monomers in which the methacrylic acid content is 11 % by weight or more	≥15 000 / liste verte	
1254208/2015	3901908070	Ethylene maleic anhydride copolymer, whether or not containing another olefin comonomer, with a melt flow rate of 1,3g/10 min or more at 190 °C/2,16 kg (measured using ASTM D1238)	<15 000 / liste rouge	
3675506/2015	3903909046	Copolymer in the form of granules containing by weight: 74 % (± 4 %) styrene, 24 % (± 2 %) n-butylacrylate and 0,01 % or more but not more than 2 % methacrylic acid	<15 000 / liste rouge	
1261995/2015	3903909065	Copolymer of styrene with 2, 5-furandione and (1-methylethyl)benzene in the form of flakes or powder (CAS RN 26762-29-8)	≥15 000 / liste verte	
3703062/2015	3903909070	Copolymer in the form of granules containing by weight: 75 % (± 7 %) styrene and 25 % (± 7 %) methylmethacrylate	≥15 000 / liste verte	
1262/2008, 166768/2010	3904698081	Poly(vinylidene fluoride) (CAS RN 24937-79-9)	≥15 000 / liste verte	
1138473/2015	3906909033	Core shell copolymer of butyl acrylate and alkyl methacrylate, with a particle size of 5 µm or more but not more than 10 µm	≥15 000 / liste verte	
1118227/2015	3906909037	Copolymer of trimethylolpropane trimethacrylate and methyl methacrylate (CAS RN 28931-67-1), in microsphere form with an average diameter of 3 µm	≥15 000 / liste verte	
168029/2010	3906909040	Transparent acrylic polymer in packages of not more than 1 kg, and not for retail sale with: a viscosity of not more than 50000 Pa·s at 120 °C as determined by the test method ASTM D 3835 a weight average molecular weight (M _w) of more than 500 000 but not more than 1 200 000 according to the Gel Permeation Chromatography (GPC) test, a residual monomer content of less than 1 %	<15 000 / liste rouge	
3893335/2015	3907100010	Mixture of a trioxan-oxirane-copolymer and polytetrafluoroethylene	<15 000 / liste rouge	
3893290/2015	3907100020	Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine	<15 000 / liste rouge	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3863332/2015	3907300015	Epoxide resin, halogen-free, containing by weight more than 2 % phosphorus calculated on the solid content, chemically bound in the epoxide resin, not containing any hydrolysable chloride or containing less than 300 ppm hydrolysable chloride, and containing solvents for use in the manufacture of prepreg sheets or rolls of a kind used for the production of printed circuits	≥15 000 / liste verte	
3863338/2015	3907300025	Epoxide resin containing by weight 21 % or more of bromine, not containing any hydrolysable chloride or containing less than 500 ppm hydrolysable chloride, and containing solvents	≥15 000 / liste verte	
135203/2010	3907998030, 3913900020	Poly(hydroxyalkanoate), predominantly consisting of poly(3-hydroxybutyrate)	≥15 000 / liste verte	
611599/2010	3907998080	Copolymer, consisting of 72 % by weight or more of terephthalic acid and/or derivatives thereof and cyclohexanedimethanol, completed with linear and/or cyclic diols	≥15 000 / liste verte	
1111669/2015	3908900055	1,4-Benzenedicarboxylic acid polymer with 2-methyl-1,8-octanediamine and 1,9-nonanediamine (CAS RN 169284-22-4)	<15 000 / liste rouge	
578476/2010	3909400020	Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices	≥15 000 / liste verte	
3939762/2015	3910000015	Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated	<15 000 / liste rouge	
611090/2010	3911909930	1,4:5,8-Dimethanonaphthalene, 2-ethylidene-1,2,3,4,4a,5,8,8a-octahydro-, polymer with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene, hydrogenated	≥15 000 / liste verte	
588621/2010	3911909935	Alternated copolymer of ethylene and maleic anhydride (EMA)	≥15 000 / liste verte	
115341/2010	3912110040	Cellulose diacetate powder	≥15 000 / liste verte	
1101969/2015	3912398550	Polyquaternium 10 (CAS RN 68610-92-4)	≥15 000 / liste verte	
253555/2009	3919108037	Polytetrafluoroethylene film: with a thickness of 100 µm or more, an elongation at break of not more than 100 %, coated on one side with a pressure sensitive silicon adhesive	≥15 000 / liste verte	
254103/2009	3919108043, 3919908026	Ethylene vinyl acetate film: of a thickness of 100 µm or more, coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner	<15 000 / liste rouge	
3893463/2015	3919108063	Reflecting film consisting of a layer of an acrylic resin with imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, a layer of an acrylic resin having embedded glass beads, a layer of an acrylic resin hardened by a melamine cross-linking agent, a metal layer, an acrylic adhesive, and a release film	≥15 000 / liste verte	
3887350/2015	3919908052	White polyolefin tape consisting of: an adhesive layer based on synthetic rubber with a thickness of 8 µm or more but not more than 17 µm, a polyolefin layer with a thickness of 28 µm or more but not more than 40 µm, and a non-silicone release layer with a thickness below 1 µm	<15 000 / liste rouge	
611037/2010	3919908063	Co-extruded trilayer film, each layer containing a mixture of polypropylene and polyethylene, containing not more than 3 % by weight of other polymers, whether or not containing titanium dioxide in the core layer, coated with an acrylic pressure sensitive adhesive and with a release liner of an overall thickness of not more than 110 µm	<15 000 / liste rouge	
125550/2010	3919908065	Self-adhesive film with a thickness of 40 µm or more, but not more than 400 µm, consisting of one or more layers of transparent, metallised or dyed poly(ethylene terephthalate), covered on one side with a scratch resistant coating and on the other side with a pressure sensitive adhesive and a release liner	≥15 000 / liste verte	
157837/2010	3919908070	Self-adhesive polishing discs of microporous polyurethane, whether or not coated with a pad	≥15 000 / liste verte	
170268/2010	3919908082	Reflecting film consisting of: a polyurethane layer, a glass microspheres layer, a metallised aluminium layer, and an adhesive, covered on one or both sides with a release liner, whether or not a poly(vinyl chloride) layer, a layer whether or not incorporating security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use	≥15 000 / liste verte	
1111702/2015	3920104040	Tubular layered film predominately of polyethylene: consisting of a tri-layer barrier with a core layer of ethylene vinyl alcohol covered on either side with a layer of polyamide, covered on either side with at least one layer of polyethylene, having a total thickness of 55 µm or more, having a diameter of 500 mm or more but not more than 600 mm	≥15 000 / liste verte	
168298/2010, 1687/9/1996	3920621948	Sheets or rolls of poly(ethylene terephthalate): coated on both sides with a layer of epoxy acrylic resin, of a total thickness of 37 µm (± 3 µm)	≥15 000 / liste verte	
1262131/2015	3921905540	Three layered fabric sheet, in rolls, comprising a core layer of 100 % Nylon Taffeta or Nylon/Polyester blended Taffeta, coated on both sides with polyamide, of a total thickness not more than 135 µm, of a total weight not more than 80 g/m ²	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3703161/2015	3921905550	Glass fibre-reinforced sheets of reactive, halogen-free epoxide resin with hardener, additives and inorganic fillers for use in encapsulating semiconductor systems	<15 000 / liste rouge	
1233437/2015	3926909723	Plastic cover with clips for the exterior rear-view mirror of motor vehicles	≥15 000 / liste verte	
1233159/2015	4009420020	Rubber brake hose with textile strings, a wall thickness of 3,2 mm, a metal hollow terminal pressed on both ends, and one or more mounting brackets, of kind used in the manufacture of goods of Chapter 87	≥15 000 / liste verte	
3869423/2015	4016930020	Gasket made of vulcanised rubber (ethylene-propylene-diene monomers), with permissible outflow of the material in the place of mould split of not more than 0,25 mm, in the shape of a rectangle: with a length of 72 mm or more but not more than 825 mm; with a width of 18 mm or more but not more than 155 mm	≥15 000 / liste verte	
168175/2010	5402470020	Bicomponent monofilament yarn of not more than 30 dtex, consisting of: a poly(ethylene terephthalate) core, and an outer layer of a copolymer of poly(ethyleneterephthalate) and poly(ethyleneisophthalate), for use in the manufacture of filtration fabrics	<15 000 / liste rouge	
3887395/2015	5403390010	Biodegradable (norm EN 14995) monofilament of not more than 33 dtex, containing at least 98 % by weight polylactide (PLA), for use in the manufacture of filtration fabrics for the food industry	<15 000 / liste rouge	
611725/2010	5603131020	Non-woven of spunbonded polyethylene, with a coating, of a weight of more than 80 g/m ² but not more than 105 g/m ² and an air resistance (Gurley) of 8 seconds or more but not more than 75 seconds (as determined by the ISO 5636/5 method)	≥15 000 / liste verte	
125967/2010, 249552/2009	6909190020	Silicon nitride (Si 3 N 4) rollers or balls	≥15 000 / liste verte	
1162664/2015	7004908010	Alkali-aluminosilicate drawn flat glass sheet with: a scratch proof coating of a thickness of 45 µm (+/- 5 µm), a total thickness of 0,45 mm or more but not more than 1,1 mm, a width of 300 mm or more but not more than 3210 mm, a length of 300 mm or more but not more than 2 000 mm, a visible light transmission of 90 % or more; an optical distortion of 55° or more	<15 000 / liste rouge	
3883589/2015	7009100040	Electrochromic self-dimming inside rear-view mirror, consisting of: a mirror support a plastic casing and an integrated circuit for use in the manufacture of motor vehicles of Chapter 87	≥15 000 / liste verte	
597848/2010	7009910010	Unframed glass mirrors with: a length of 1516 mm (± 1 mm); a width of 553 mm (± 1 mm); a thickness of 3 mm (± 0,1 mm); the back of the mirror covered with protective polyethylene (PE) film, with a thickness of 0,11 mm or more but not more than 0,13 mm; a lead content of not more than 90 mg/kg and a corrosion resistance of 72 hours or more according to ISO 9227 salt spray test	<15 000 / liste rouge	
605569/2010	7019191020	Yarn of 10,3 tex or more but not more than 11,9 tex, obtained from continuous spun-glass filaments, in which filaments of a diameter of 4,83 µm or more but not more than 5,83 µm predominate	≥15 000 / liste verte	
605610/2010	7019191025	Yarn of 10,3 tex or more but not more than 6,0 tex, obtained from continuous spun-glass filaments, in which filaments of a diameter of 4,83 µm or more but not more than 5,83 µm predominate	≥15 000 / liste verte	
160295/2010	7202998010	Ferro-dysprosium, containing by weight: 78 % or more of dysprosium, and 18 % or more but not more than 22 % of iron	≥15 000 / liste verte	
1143537/2015	7326909840	Iron and steel weights whether or not with parts of other material whether or not with parts of other metals whether or not surface treated whether or not printed of a kind used for the production of remote controls	≥15 000 / liste verte	
582476/2010	7604291010, 7606129920	Sheets and bars of aluminium-lithium alloys	<15 000 / liste rouge	
1257658/2015	8101960010	Tungsten wire containing by weight 99 % or more of tungsten with: a maximum cross-sectional dimension of not more than 50 µm a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the production of heated car front windows	≥15 000 / liste verte	
634961/2010	8104300035	Magnesium powder of purity by weight of more than 99,5 % with a particle size of 0,2 mm or more but not more than 0,8 mm	≥15 000 / liste verte	
3962148/2015	8108200040	Titanium alloy ingot, with a height of 17,8 cm or more, a length of 180 cm or more and a width of 48,3cm or more, a weight of 680 kg or more, containing alloy elements by weight of: 3 % or more but not more than 6 % of aluminium, 2,5 % or more but not more than 5 % of tin, 2,5 % or more but not more than 4,5 % of zirconium, 0,2 % or more but not more than 1 % of niobium, 0,1 % or more but not more than 1 % of molybdenum, 0,1 % or more but not more than 0,5 % of silicon	<15 000 / liste rouge	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3962132/2015	8108200055	Titanium alloy ingot, with a height of 17,8 cm or more, a length of 180 cm or more, a width of 48,3 cm or more a weight of 680 kg or more, containing alloy elements by weight of: 3 % or more but not more than 7 % of aluminium, 1 % or more but not more than 5 % of tin, 3 % or more but not more than 5 % of zirconium, 4 % or more but not more than 8 % of molybdenum	≥15 000 / liste verte	
3962108/2015	8108200060	Titanium alloy ingot, with a diameter of 63,5 cm or more and a length of 450 cm or more, a weight of 6 350 kg or more, containing alloy elements by weight of: 5,5 % or more but not more than 6,7 % of aluminium, 3,7 % of more but not more than 4,9 % of vanadium	≥15 000 / liste verte	
167191/2010	8108903025	Titanium-aluminium-vanadium alloy (TiAl6V4) bars, rods and wire, complying with AMS standards 4928, 4965 or 4967	≥15 000 / liste verte	
3703091/2015	8113009020	Cuboid spacer made of aluminium silicon carbide (AlSiC) composite used for packaging in IGBT-modules	≥15 000 / liste verte	
589777/2010	8301600020, 8419908530, 8479907083, 8481900030, 8503009970, 8515908030, 8708999740, 8708991050, 8537109870	Keypads of silicone or plastic, whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, whether or not printed or surface treated, whether or not with electrical conducting elements, whether or not with keypads foil glued on the keyboard, whether or not with protective foil, single or multilayer	≥15 000 / liste verte	
4052383/2015	8302200020	Castors, with an external diameter of 21 mm or more but not more than 23 mm, a width with screw of 19 mm or more but not more than 23 mm, a U-shaped plastic outer ring, an assembly screw fitted to the internal diameter and used as an inner ring	<15 000 / liste rouge	
635019/2010	8407909020	Compact Liquid Petroleum Gas (LPG) Engine System, with: 6 cylinders, an output of 75 kW or more, but not more than 80 kW, inlet and exhaust valves modified to operate continuously in heavy duty applications, for use in the manufacture of vehicles of heading 8427	≥15 000 / liste verte	
167207/2010	8413703520	Single phase centrifugal pump: discharging at least 400 cm ³ fluid per minute, with a noise level limited to 6 dBA, with the inside diameter of the suction opening and discharge outlet of not more than 15 mm, and working at ambient temperatures down to - 10°C	<15 000 / liste rouge	
170794/2010	8414592540	Axial fan with an electric motor, of an output of not more than 2 W, for use in the manufacture of products of heading 8521 or 8528	<15 000 / liste rouge	
3869472/2015	8415900030	Aluminium arc-welded removable receiver dryer with a connection block, containing polyamide and ceramic elements, with: a length of 166 mm (+/- 1 mm), a diameter of 70 mm (+/- 1 mm), an internal capacity of 280 cm ³ or more, a water absorption rate of 17 g or more, and an internal purity expressed by permissible amount of impurities of not more than 0,9 mg/dm ² of a kind used in car air-conditioning systems	<15 000 / liste rouge	
3869445/2015	8415900040	Flame-soldered aluminium block with extruded, bent connector lines, of a kind used in car air-conditioning systems	≥15 000 / liste verte	
3869484/2015	8415900055	Aluminium arc-welded removable receiver dryer with polyamide and ceramic elements with: a length of 143 mm or more but not more than 292 mm, a diameter of 31 mm or more but not more than 99 mm, a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and a solid particle diameter of not more than 0,06 mm of a kind used in car air-conditioning systems	<15 000 / liste rouge	
3852368/2015	8436990010	Part containing: a single-phase AC motor, an epicyclic gearing, a cutter blade and whether or not containing: a capacitor, a part fitted with a threaded bolt for use in the manufacture of garden shredders	≥15 000 / liste verte	
1261960/2015	8479899785	High Pressure Hard Materials Compression Press ("Link Press"): with a 16 000 tonne pressure rating, with a 1 100mm diameter Bolster (± 1mm), with a 1 400mm main cylinder (± 1mm), with a Fixed and floating link frame, multiple pump high pressure hydraulic accumulator and pressure system, with a double arm manipulator arrangement and connections for piping and electrical systems, with a total weight 310 tonnes (± 10 tonnes), and creating 30 000 atmospheres at 1 500 degrees centigrade using Low Frequency Alternating Current (16 000 amps)	<15 000 / liste rouge	
634994/2010	8483409080	Transmission gearbox, with: not more than 3 gears, an automatic deceleration system and a power reversal system, for use in the manufacture of goods of heading 8427	≥15 000 / liste verte	
3869594/2015	8501101020	Synchronous motor for a dishwasher with a water flow control mechanism with a length without axle of 24 mm (+/- 0,3), a diameter of 49,3 mm (+/- 0,3) a rated voltage of 220 V AC or more but not more than 240 V AC, a rated frequency of 50 Hz or more but not more than 60 Hz, an input power of not more than 4 W, a rotation speed of 4rpm or more but not more than 4,8rpm, an output torque of not less than 10kgf/cm	<15 000 / liste rouge	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3869531/2015	8501109957	DC motor: with a rotor speed of not more than 6 500 rpm when not loaded; with a rated voltage of 12,0 V (+/- 0,1); of a specified temperature range of - 40 °C or more, but not more than + 165 °C; with or without a connecting pinion; with or without an engine connector	≥15 000 / liste verte	
3893585/2015	8501109965	Electric turbocharger actuator, with: a DC motor, an integrated gear mechanism, a (pulling)force of 200 N or more at a minimum of 140°C elevated ambient temperature, a (pulling) force of 250 N or more in each position of its stroke, an effective stroke of 15 mm or more but not more than 25 mm, with or without an on-board diagnostics interface	≥15 000 / liste verte	
1093188/2015	8501109975	Permanently excited DC motor with a multiple-phase winding an external diameter of 28 mm or more but not more than 35 mm, a rated speed of not more than 12 000 rpm, a power supply voltage of 8 V or more but not more than 27 V	≥15 000 / liste verte	
3812069/2015	8501310071, 8501320077	Automotive-ready, brushless and permanently excited direct current motor with: a specified speed of not more than 4 100 rpm, a minimum output of 400 W, but not more than 1,3 kW (at 12V), a flange diameter of 90 mm or more, but not more than 150 mm, a maximum length of 210 mm, measured from the beginning of the shaft to the outer ending, a housing length of not more than 160 mm, measured from the flange to the outer ending, a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 11 bore holes) aluminium diecast or sheet steel housing whether or not with a sealing compound (groove with an O-ring and grease), a stator with single T-tooth design and single coil windings in 9/6 or 12/8 topology and surface magnets	≥15 000 / liste verte	
1142585/2015	8501612035	Fuel cell module , AC generator with an output of 7.5 kVA or less, consisting of: a Hydrogen generator (desulphurizer, reformer and cleaner) a PEM fuel cell stack and an Inverter for use as a part in a heating appliance	<15 000 / liste rouge	
3081213/2013	8503009955	Stator for brushless motor, with: an internal diameter of 206,6 mm (± 0,5), an external diameter of 265,0 mm (± 0,2), and a width of 37,2 mm or more but not more than 47,8 mm, of a kind used in the manufacture of washing machine, washer-dryer or dryer equipped with direct drive drums	≥15 000 / liste verte	
3869544/2015	8505110055, 8505199040	Flat bars of an alloy of samarium and cobalt with a length of 30,4 mm (± 0,05 mm); a width of 12,5 mm (± 0,15 mm); a thickness of 6,9 mm (± 0,05 mm), or composed of ferrites in the shape of a quarter sleeves with: a length of 46 mm (± 0,75 mm); a width of 29,7 mm (± 0,2 mm), intended to become permanent magnets after magnetisation, of a kind used in car starters and devices extending the drive range of electric cars	<15 000 / liste rouge	8505199040
622601/2010	8508700010, 8537109896	Printed circuit board without a housing for actuating and controlling vacuum cleaner brushes powered by a motor with an output of not more than 300 W	<15 000 / liste rouge	
622531/2010	8537109898, 8508700020	Electronic circuit cards that: are connected by wire or radio frequency to each other and the motor controller card, and regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full)	≥15 000 / liste verte	
3869559/2015	8512200030	Lighting module, containing at least: two LEDs, glass or plastic lenses, focusing/scattering the light emitted by the LEDs, reflectors redirecting the light emitted by the LEDs, in an aluminium housing with a radiator, mounted at a bracket with an actuator	≥15 000 / liste verte	
3883431/2015	8512309020	Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing: a printed circuit board, a connector, whether or not a metal holder of a kind used in the manufacture of goods of chapter 87	<15 000 / liste rouge	
1215734/2015	8525801965	Cameras using MIPI electrical interface with: an image sensor, an objective (lens), a colour processor, a flexible printed circuit board or a printed circuit board, whether or not capable of receiving audio signals, a module dimension of not more than 15mm x 15mm x 15mm , a resolution of 2 mega pixel or more (1616*1232 pixels and higher), whether or not wired, and a housing for use in the manufacture of products falling within subheading 8517 12 00 or 8471 30 00	<15 000 / liste rouge	
1144223/2015	8529906528	Electronic assembly comprising at least a printed circuit board with, processors for multi-media applications and video signal processing, FPGA (Field Programmable Gate Array), Flash memory, operating memory, USB-interface, with or without HDMI, VGA- and RJ-45 interfaces, sockets and plugs for connecting a LCD-display, a LED lighting and a control panel	≥15 000 / liste verte	
170446/2010	8529909253, 8529906565	Printed circuit board for distributing supply voltage and control signals directly to a control circuit on a TFT glass panel of a LCD module	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

170893/2010	8529909225	LCD modules, not combined with touch screen facilities, solely consisting of: one or more TFT glass or plastic cells, a die cast heat sink, a backlight unit, one printed circuit board with micro controller, and LVDS (Low Voltage Differential Signalling) interface, for use in the manufacture of radios for motor vehicles	≥15 000 / liste verte	
1162007/2015	8529909237	Fastening and covering ledges of aluminium alloy containing: silicon and magnesium, with a length of 300 mm or more but not more than 2 200 mm, specifically shaped for use in the manufacture of TV sets	≥15 000 / liste verte	
1093297/2015	8529909263	LCD module with a diagonal measurement of the screen of 14,5 cm or more but not more than 38,5 cm, with or without a touch screen, with an LED backlight, with a printed circuit board with EEPROM, microcontroller, LVDS receiver and other active and passive components, with a plug for power supply and CAN and LVDS interfaces, with or without electronic components for dynamic adjustments of colour, in a housing, with or without mechanical, touch-sensitive or contactless control functions and with or without active cooling system, suitable for installation in motor vehicles of Chapter 87	≥15 000 / liste verte	
605694/2010	8529909267	Colour LCD display panel for LCD monitors of heading 8528: with a diagonal measurement of the screen of 14,48 cm or more but not more than 31,24 cm, with or without a touch screen, with backlight, micro-controller, with a CAN (Controller area network)-controller with one or more LVDS (Low-voltage differential signalling) interfaces and one or more CAN/power supply sockets or with an APIX (Automotive Pixel Link) controller with APIX interface, in a housing with or without a heat sink at the back of the housing, without a signal-processing module, whether or not with haptic and acoustical feedback, for use in the manufacture of vehicles of Chapter 87	≥15 000 / liste verte	
3694834/2015	8529909285	Colour LCD module in a housing: with a diagonal screen measurement of 14.48 cm or more but not more than 26 cm, without touch screen, with a backlight and micro-controller, with a CAN (Controller Area Network) controller, an LVDS (Low-Voltage Differential Signalling) interface and a CAN/power connector, without a signal processing module, with control electronics for pixel addressing only, with a motorised mechanism for moving the display screen, for permanent installation in vehicles of Chapter 87	≥15 000 / liste verte	
160799/2010	8535900030	Semiconductor module switch in a casing: consisting of an IGBT transistor chip and a diode chip on one or more lead frames, for a voltage of 600 V or 1 200 V	<15 000 / liste rouge	
3863438/2015	8536699060	Electrical sockets and plugs with a length of not more than 12,7 mm or a diameter of not more than 10,8 mm, for use in the production of hearing aids and speech processors	<15 000 / liste rouge	
583862/2010	8536699084	Universal serial bus (USB) socket or plug in a single or multiple form for connecting with other USB devices, for use in the manufacture of goods falling within headings 8521 or 8528	≥15 000 / liste verte	
3883456/2015	8537109150	Fuse control module in a plastic housing with mounting brackets comprising: sockets with or without fuses, connecting ports, a printed circuit board with embedded microprocessor, micro switch and relay of a kind used in the manufacture of goods of chapter 87	≥15 000 / liste verte	
3887462/2015	8537109835	Electronic control unit without memory, for a voltage of 12 V, for information exchange systems in vehicles (for connection of audio, telephony, navigation, camera and wireless car service) containing: 2 rotary knobs 27 or more pushbuttons LED lights 2 integrated circuits for receiving and sending of control signals via the LIN-bus	<15 000 / liste rouge	
3883497/2015	8538909950, 8538909120	Interior antenna for a car door locking system, comprising: an antenna module in a plastic housing, a connection cable with a plug, at least two mounting brackets whether or not PCB including integrated circuits, diodes and transistors of a kind used in the manufacture of goods of CN heading 8703	≥15 000 / liste verte	
635060/2010	8543709095	Mobile telephone view and control module comprising of: a mains power/ CAN (Controller area network) output socket, a universal serial bus (USB) and audio IN/OUT ports and incorporating a video switching device for the interface of smart phone operating systems with the Media Orientated Systems Transport network (MOST), for use in the manufacture of vehicles of Chapter 87	<15 000 / liste rouge	
1233371/2015	8544429050, 8544300060	Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, of kind used in the manufacture of goods of Chapter 87	≥15 000 / liste verte	
3883526/2015	8544300085, 8544429065	Extension two-core cable with two connectors, containing at least: a rubber grommet, a metal attachment bracket of a kind used to connect vehicle speed sensors in the manufacture of vehicles of Chapter 87	≥15 000 / liste verte	

Prolongation suspensions - listes verte-rouge-noire 01.2021

3863475/2015	8544429070	Electric conductors: of a voltage of not more than 80 V, with a length of not more than 120 cm, fitted with connectors, for use in the manufacture of hearing aids, accessory kits and speech processors	≥15 000 / liste verte	
3863495/2015	8544499330	Electric conductors: of a voltage of not more than 80 V, of a platinum-iridium-alloy, coated with poly(tetrafluoroethylene), without connectors, for use in the manufacture of hearing aids, implants and speech processors	≥15 000 / liste verte	
631139/2010	8545909020	Carbon fibre paper of a kind used for gas diffusion layers in fuel cell electrodes	<15 000 / liste rouge	
1233075/2015	8708309140, 8708301070	Ductile cast iron brake caliper jaw, of a kind used in the manufacture of goods of Chapter 87	≥15 000 / liste verte	8708301070
3883567/2015	8708402020, 8708405010	Automatic hydrodynamic gearbox with a hydraulic torque converter, without transfer box and cardan shaft, whether or not with front differential, for use in the manufacture of motor vehicles of Chapter 87	≥15 000 / liste verte	
1163462/2015	8708509910, 8708502020	Transmission shaft in carbon fibre reinforced plastics consisting of a unique piece without any joint in the middle of a length of 1 m or more but not more than 2 m, of a weight of 6 kg or more but not more than 9 kg	≥15 000 / liste verte	8708502020
1233415/2015	8708803510, 8708802010	Upper strut insulator containing a metal holder with three mounting screws, and a rubber bump of a kind used in the manufacture of goods of Chapter 87	≥15 000 / liste verte	8708802010
1233003/2015	8708802020, 8708809110	Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the manufacture of goods of Chapter 87	<15 000 / liste rouge	8708802020
1232968/2015	8708802030, 8708809120	Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber silent block, of kind used in the manufacture of goods of Chapter 87	<15 000 / liste rouge	8708802030
3869504/2015	8708919930, 8708912030	Aluminium alloy inlet or outlet air tank manufactured to standard EN AC 42100 with: an insulating area flatness of not more than 0,1 mm, a permissible particle quantity of 0,3 mg per tank, a distance between pores of 2 mm or more, pore sizes of not more than 0,4 mm, and not more than 3 pores larger than 0,2mm of a kind used in heat exchangers for car cooling systems	≥15 000 / liste verte	8708912030
1144339/2015	8708959920, 8708951010	Inflatable safety cushion of high strength polyamide fibre sewn folded into three-dimensional packing form, fixed by thermal forming	≥15 000 / liste verte	8708951010
1144299/2015	8708959930, 8708951020	Inflatable safety cushion of high strength polyamide fibre: sewn, folded, with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing suitable for cool inflator technology	≥15 000 / liste verte	8708951020
1144388/2015	8714109010	Inner tubes, of SAE1541 carbon steel with a hard chromium layer of 20 µm (+15 µm/-5 µm) having a wall thickness of 1,45 mm or more, but not more than 1,5 mm having an elongation at break of 15 % perforated of a kind used for the production of motorcycle fork rods	≥15 000 / liste verte	
3863546/2015	8714109020	Radiators of a kind used in motor bikes for fitting of attachments	<15 000 / liste rouge	
3893618/2015	8714961010	Pedals, for use in the manufacture of bicycles (including electric bicycles)	≥15 000 / liste verte	
3893662/2015	8714999030	Seat posts, for use in the manufacture of bicycles (including electric bicycles)	≥15 000 / liste verte	
165141/2010	9001900085	Light guide panel made of poly(methyl methacrylate): whether or not cut, whether or not printed, for use in the manufacture of backlight units for flat screen TVs	≥15 000 / liste verte	
3903852/2015	9002110015	Infrared lens with motorised focus adjustment, using wavelengths of 3 µm or more but not more than 5 µm, providing a clear picture from 50 m to infinity, with fields of vision sizes of 3° x 2,25° and 9° x 6,75°, with a weight of not more than 230 g, with a length of not more than 88 mm, with a diameter of not more than 46 mm, athermalized, for use in the manufacture of thermal imaging cameras, infrared binoculars, weapons scopes	<15 000 / liste rouge	
584167/2010	9401908010	Ratchet disk of a kind used in the manufacture of reclining car seats	≥15 000 / liste verte	
1233599/2015	9401908060	Outer part of a headrest made of perforated bovine leather, lined with a scrim-reinforced lamination liner and without foam padding, after reworking (stitching of the leather and embroidery application) used in manufacture of seats of motor vehicles	<15 000 / liste rouge	
128251/2010	9503009510, 9503007510	Plastic cable car scale models, whether or not with a motor, for printing	≥15 000 / liste verte	9503007510
3961246/2015	9607201010	Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of zippers	<15 000 / liste rouge	
3961264/2015	9607209010	Narrow strips mounted with plastic chain scoops for use in the manufacture of zippers	≥15 000 / liste verte	